





12208

NITRAL
0.2 =





ADULT

HUDSON
SUPPLY
2.1 m (7 ft)

ADU







PURITAN-BENLI

Proprietaria
SANTA ROSA JUNIOR





WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL: 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET(S) FOR THIS PRODUCT. CALL 1-800-231-1366 FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.

**AIR,
COMPRESSED**
UN 1002



M-989

COMPRESSED
CAUTION: HIGH P
COMBUSTION.
oil and grease
equipment rated
use and when emp
Sheet. Return with 25 PS













RUGGED™







PHYSIOCONTROL
LIFEPAK 500

At position 34 **Compression, not breathing and Fall for pulse check**

- 1 **Turn on Device**
- 2 **Apply Electrode Pads**
- 3 **Follow Prompts**

See Manual for CPR Instructions



LIFEPAK 500T
AED Training System

10
ON/OFF

ANALYZE

SHOCK

Medtronic

OK

AED TRAINER







Ford

90

CA
116



COUNTY OF SONOMA
EMT

SONOMA LIFE SUPPORT

SONOMA LIFE

**DIAL
911**

EMT
5M21438
CALIFORNIA
EMERGENCY SERVICE

10-150





AMBUANCE



PARAMEDIC



INDEX

ADULT SIZE

Life - KINSEY, INC.
1-800-814-6718
P.O. Box 1000
Cincinnati, OH 45201

PARAMEDIC

EVIDENCE

798369

| Time | Drug Solution | Pulse | Respiration | Dose |
|------|---------------|-------|-------------|------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |

MORGUE

IMMEDIATE

798369

IMMEDIATE

798369

DELAYED

798369

DELAYED

798369

MINOR

798369

MINOR

798369

Ferro-Whistington products are manufactured under following patent
 5,457,232
 5,475,128
 5,475,129
 5,475,130
 5,475,131
 5,475,132
 5,475,133
 5,475,134
 5,475,135
 5,475,136
 5,475,137
 5,475,138
 5,475,139
 5,475,140
 5,475,141
 5,475,142
 5,475,143
 5,475,144
 5,475,145
 5,475,146
 5,475,147
 5,475,148
 5,475,149
 5,475,150
 5,475,151
 5,475,152
 5,475,153
 5,475,154
 5,475,155
 5,475,156
 5,475,157
 5,475,158
 5,475,159
 5,475,160
 5,475,161
 5,475,162
 5,475,163
 5,475,164
 5,475,165
 5,475,166
 5,475,167
 5,475,168
 5,475,169
 5,475,170
 5,475,171
 5,475,172
 5,475,173
 5,475,174
 5,475,175
 5,475,176
 5,475,177
 5,475,178
 5,475,179
 5,475,180
 5,475,181
 5,475,182
 5,475,183
 5,475,184
 5,475,185
 5,475,186
 5,475,187
 5,475,188
 5,475,189
 5,475,190
 5,475,191
 5,475,192
 5,475,193
 5,475,194
 5,475,195
 5,475,196
 5,475,197
 5,475,198
 5,475,199
 5,475,200

FERRO-WHISTINGTON, INC.
 1000 W. 10th St.
 Tulsa, Oklahoma 74103
 Phone: (918) 438-1111
 Fax: (918) 438-1112
 E-mail: sales@ferrowhistington.com
 Website: www.ferrowhistington.com





Not Sterilized
reopened
size
1 in

NEW BRUNSWICK NEW JERSEY 08808
Johnson & Johnson
med. inc.
NEW BRUNSWICK, NJ U.S.A.

6922
6923
6924
6925

6902
6903
6904
6905

1 in
2 in
3 in
4 in
6 in

AVAILABLE:
Printed
SIZE

AVAILABLE:
Printed
SIZE

| NUMBER | SIZE |
|--------|------|
| 6922 | 2 in |
| 6923 | 3 in |
| 6924 | 4 in |
| 6925 | 6 in |



1000 mL

0.9% Sodium Chloride Irrigation, USP

0.9% Sodium Chloride Irrigation, USP is a sterile, isotonic, non-preserved solution of sodium chloride in water. It is used for irrigation of the eyes, nose, ears, and mouth, and for the dilution of ophthalmics, otics, and nasals. It is also used for the irrigation of wounds, burns, and ulcers.

W3

1000 mL

0.9% Sodium Chloride Irrigation, USP

0.9% Sodium Chloride Irrigation, USP is a sterile, isotonic, non-preserved solution of sodium chloride in water. It is used for irrigation of the eyes, nose, ears, and mouth, and for the dilution of ophthalmics, otics, and nasals. It is also used for the irrigation of wounds, burns, and ulcers.

W3

1000 mL

0.9% Sodium Chloride Irrigation, USP

0.9% Sodium Chloride Irrigation, USP is a sterile, isotonic, non-preserved solution of sodium chloride in water. It is used for irrigation of the eyes, nose, ears, and mouth, and for the dilution of ophthalmics, otics, and nasals. It is also used for the irrigation of wounds, burns, and ulcers.

W3

1000 mL

0.9% Sodium Chloride Irrigation, USP

0.9% Sodium Chloride Irrigation, USP is a sterile, isotonic, non-preserved solution of sodium chloride in water. It is used for irrigation of the eyes, nose, ears, and mouth, and for the dilution of ophthalmics, otics, and nasals. It is also used for the irrigation of wounds, burns, and ulcers.

W3

SUPERIOR

WATER SUGT
INSTRUMENT

OPEN CLEAR
SIGLIP STERILE

STERILE
COMBIBEST
INSTRUMENT



SUPERIOR HEALTHCARE
CombiBest Instrument Set COMBES











NON-STERILE

• AMBIDEXTROUS

GLOVES

GLOVES





Glass Ampoules
Unit of Use 8
with metal
adapter and 18
protected
R
8.4% Sodium Bicarbonate
1 CC (ml) VanishPoint Tuberculin syringe

1 CC (ml) VanishPoint Tuberculin syringe
1.500 mg (3 mg/ml)
1.500 mg (3 mg/ml)
1.500 mg (3 mg/ml)

20% ORBITROSE
1.5 g (30 mg/ml)
1.5 g (30 mg/ml)

1.500 mg (3 mg/ml)
1.500 mg (3 mg/ml)

1 CC (ml) VanishPoint Tuberculin syringe
1.500 mg (3 mg/ml)
1.500 mg (3 mg/ml)
1.500 mg (3 mg/ml)











122038
122038

ACETYLENE
Q-2